

100 cm power cable
and suspension set

polycarbonate
diffuser

even and gentle
light diffusion

RA>80

slim elegant
shape

EFFICACY 125-130 lm/w

Power [W]:
30

Luminous flux [lm]:
3750-3900

Beam angle [°]:
96

Colour temperature [°]:

4000




Lifetime [h]:
L70B50 - 50.000

Housing:
aluminium



EXECULINE



A line full of charm


Slim shape. Contemporary elegance. Perfectly refined detail.
The EXECULINE linear luminaire combines minimalist design with high functionality.
Its exceptionally slim construction allows it to blend seamlessly into its surroundings,
adding a touch of elegance and style.

With a 96° beam angle, EXECULINE delivers a wide, uniform light distribution that works perfectly
in modern, refined commercial interiors. It's the ideal solution wherever both aesthetics and visual
comfort truly matter.



Linear lamp EXECULINE black


SYMBOL	POWER [W]	BEAM ANGLE [°]	COLOUR TEMPERATURE [K]	LUMINOUS FLUX [lm]	EEI
207813	30	96	4000	3750	



Linear lamp EXECULINE white

SYMBOL	POWER [W]	BEAM ANGLE [°]	COLOUR TEMPERATURE [K]	LUMINOUS FLUX [lm]	EEI
207806	30	96	4000	3900	

DIMENSIONS [mm]



EXECULINE
207813
207806



LED line

LEDIN Group Sp. z o.o.
Dębowa 1
07-410 Tobolice
Poland

export@ledline.pl
ledline.eu



/LEDIN Group Sp. z o.o.



/LED line



/LED line