


LEDline

VANTO





HERMETIC LUMINAIRE VANTO



Compatible light source:
T8 fluorescent lamps


Base:
G13

Length [cm]:
60, 120, 150

Housing:
ABS

Diffuser:
Polistyren

Power supply sources:
Single-sided and double-sided



Key features:

- ▶ IP65 protection class - dust and water resistance
- ▶ Durable construction made of ABS plastic and PS diffuser
- ▶ Very favourable price-quality ratio
- ▶ Standard G13 sockets - easy replacement of light sources
- ▶ Compatible with T8 LED fluorescent lamps
- ▶ Built-in reflector

Application:


- ▶ Garages and car parks
- ▶ Workshops and technical services
- ▶ Utility rooms and back rooms

Durable, proven and simple design

The VANTO luminaire has been designed with simplicity, reliability, and ease of installation in mind. The robust ABS plastic housing and polystyrene (PS) diffuser guarantee resistance to mechanical damage and external factors, while the metal reflector ensures more efficient lighting.

The design, adapted for single-ended T8 LED fluorescent lamps, ensures simple installation and the possibility of operation in configurations with two light sources. It is a proven solution that combines durability, functionality, and economy of use.

VANTO for two T8 LED sources



▶ T8 LED fluorescent tubes sold separately

Technical specifications



length	source	symbol
60cm	T8x2	203877-III



length	source	symbol
120cm	T8x2	203891-III



length	source	symbol
150cm	T8x2	203914-III



LED line

WE CO-CREATE



LEDIN Group Sp. z o.o.
Dębowa 1
07-410 Tobolice
Poland

export@ledline.pl
ledline.eu

 /LEDIN Group Sp. z o.o.

 /LED line

 /LED line