

# ALUMINIUM POWER SUPPLIES









#### **DRIVERS**

## **IP67 POWER SUPPLIES**

















w	voltage	dimensions	symbol
IP67			
200	12V	299x44x20	LL-200-12
200	24V	299x44x20	LL-200-24

299	
	77
	75


#### Key features:

- 5-year warranty
- High IP67 protection rating (fully dustproof and waterproof)
- Aluminium housing resistant to heat, damage, and corrosion
- Full electrical protection (SC, OC, OV) + full load testing
- High energy efficiency of 93%
- Wide operating temperature range (-40°C to +50°C)
- Mounting holes for easy installation
- Cables of length 20cm on each side



## Full waterproof protection – IP67

Our aluminium power supplies comply with the strict IP67 standard, offering complete protection against dust and water. You can install them with confidence in damp or rain-exposed environments — both outdoors and indoors.





## Maximum power, minimum loss



High **efficiency of 93**% means that nearly all the consumed energy is converted into light rather than heat loss. This results in real energy savings, reduced power supply heating, and a longer lifespan for the entire lighting system. Additionally, a full suite of protections against short circuits, overloads, and overvoltage ensures stable and safe operation, eliminating the risk of failures.



















# LED line

### WE CO-CREATE







#### LEDIN Group Sp. z o.o.

Dębowa 1 07-410 Tobolice Poland

export@ledline.pl ledline.eu



/LEDIN Group Sp. z o.o.



/LED line



/LED line