

LED line LITE


Code: 247927

EAN: 5901583247927

LED bulb G9 6000K 8W 750lm 230V
270° Ceramic LITE



LITE G9 8W 6000K LED line bulb is the optimal choice for demanding users, offering 750 lumens and 94 lm/W performance. It is characterized by a blue light with a colour temperature of 6000 K, which favors concentration and precise lighting. With a light angle of 270°, it ensures uniform distribution of light in space.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 8 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	94
Luminous flux	750 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	19 mm
Beam angle	270 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	63
Colour	white
Material (housing)	Ceramics

LED line LITE

Code: 247927

EAN: 5901583247927


LED bulb G9 6000K 8W 750lm 230V

270° Ceramic LITE

Technical drawing






Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	36 mm
Height	100 mm
Length	36 mm
Weight	0,02 kg

Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	14,12 kg
Comments	

Europallet

Quantity	25000
Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	903,68 kg

LED line LITE

Code: 247927

EAN: 5901583247927

**LED bulb G9 6000K 8W 750lm 230V
270° Ceramic LITE**

Example application