

LED line LITE

Code: 200838

EAN: 5905378200838

**DOWNLIGHT MOLLY 3000K 9W 830lm square IP20 White LITE**



LED line LITE DOWNlight MOLLY 9W is a modern 9W and 830 lm light stream solution. It is characterized by a minimalistic, square design, which perfectly fits into a variety of interiors. Colour temperature 3000 K provides pleasant, warm light, and high quality made of polycarbonate guarantees durability. With Ra>80, natural color reproduction was achieved.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	3
Power	• 9 W
Voltage	• 170-260 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	90
Luminous flux	830
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
LED type	SMD LED 2835
LED quantity	30
Power Factor	0,5
Number of on/off cycles	20000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Mounting hole diameter	90-110
Length	120
Width	120
Height	26
Weight	0,088 kg
Colour	White
Material (housing)	Polycarbonate


LED line LITE

Code: 200838


EAN: 5905378200838

**DOWNLIGHT MOLLY 3000K 9W 830lm square IP20 White LITE**

**Technical drawing**



**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	120 mm
Height	26 mm
Length	120 mm
Weight	0,122 kg

**Bulk packaging**

Quantity	100
Width	390 mm
Height	266 mm
Length	640 mm
Volume	0,015 m3
Weight	13,1 kg

**Europallet**

Quantity	2800
Height	1,9 m
Quantity in layer	400
Number of layers	7
Bulk quantity	28
Weight	397 kg

LED line LITE

Code: 200838

EAN: 5905378200838

**DOWNLIGHT MOLLY 3000K 9W 830lm  
square IP20 White LITE**

**Example application**

