

LED line PRIME

Code: 206519-AW3HAT

EAN: 5905378216624

Panel Backlit 34W 4000K 4760lm
UGR<19 30x120 emergency module 3h
autotest PRIME



Backlit 34W 4000K panel with a light stream of 4760 lm is an advanced LED line PRIME lighting solution. Thanks to the $Ra \geq 80$ colour reproduction factor, the product provides a natural and faithful color reflection. Its construction with aluminium and polystyrene guarantees durability and aesthetics. UGR<19 makes the panel eye-friendly, minimising the effect of glare.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	34 W
Voltage	200-240 V AC
Correlated colour temperature	4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	02
IEC protection class	II
Luminous efficacy	140
Luminous flux	4760
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
Survival factor	0.9
Dimmable function	PWM

Parameter	Value
Colour consistency in McAdam ellipses	≤ 6
Emergency module test	autotest
Operating time in emergency mode	3 h
Frequency of the supply voltage	50/60Hz
Beam angle	90
LED type	SMD LED 2835
LED quantity	72
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	28
Colour	white
Material (housing)	Aluminium
Material (cover)	Polystyrene

LED line PRIME

Code: 206519-AW3HAT

EAN: 5905378216624

Panel Backlit 34W 4000K 4760lm
UGR<19 30x120 emergency module 3h
autotest PRIME


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	30 mm
Height	305 mm
Length	1245 mm
Weight	1,85 kg



Bulk packaging

Quantity	5
Width	630 mm
Height	335 mm
Length	1265 mm
Volume	0,084 m3
Weight	11,55 kg
Comments	



Europallet

Quantity	90
Height	2140 mm
Bulk quantity	15
Weight	170 kg

LED line PRIME

Code: 206519-AW3HAT

EAN: 5905378216624

**Panel Backlit 34W 4000K 4760lm
UGR<19 30x120 emergency module 3h
autotest PRIME**

Example application

