

LED line PRIME

Code: LL-150-24-II

EAN: 5905378218192

Power Supply 150-24 IP67 150W 24V PRIME



Professional constant voltage power supplies LED line guarantee stable and safe operation of any LED lighting system. They stand out for their high energy efficiency and a complete set of protections that safeguard the installation against surges and overheating. With a durable construction and compact dimensions, they are the ideal solution for both home and commercial applications. Choose reliability and quality that ensure trouble-free operation for years.



Technical data

Parameter	Value
Warranty	5
Voltage	• 220-240 V AC
IP protection rating	IP67
IK protection rating	04
IEC protection class	II
Output current range	0 - 6,25 A
Output current	6,25 A
Rated current	0,725

Parameter	Value
Frequency of the supply voltage	50/60Hz
Power Factor	0,9
Ambient temperature suitable for operation	-20÷45
Length	190 mm
Width	52 mm
Height	37 mm
Weight	0,60 kg
Output voltage	• 24 V


LED line PRIME

Code: LL-150-24-II

EAN: 5905378218192

Power Supply 150-24 IP67 150W 24V
PRIME

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	65 mm
Height	45 mm
Length	260 mm
Weight	0,65 kg



Bulk packaging

Quantity	20
Width	280 mm
Height	260 mm
Length	325 mm
Weight	13 kg



Europallet

Quantity	1200
Height	1,7 m
Bulk quantity	60
Weight	810 kg

LED line PRIME

Code: LL-150-24-II

EAN: 5905378218192

Power Supply 150-24 IP67 150W 24V
PRIME

Example application