

LED line LITE


Code: 241963

EAN: 5901583241963

LED bulb GU10 2700K 5W 450lm 230V
120° Glass LITE



LED line bulb LITE GU10 5W 2700K is a modern light source with 5W power and 450 lm light stream. It is characterized by a warm colour of light (2700 K), ideal for creating a cozy atmosphere. The lighting angle is 120°, which provides even illumination of the space. High light efficiency of 90 lm/W and long life to 30,000 hours translate into energy efficiency.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	90
Luminous flux	450 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	55
Fixture's diameter	50 mm
Material (housing)	Glass
Material (cover)	glass

LED line LITE


Code: 241963

EAN: 5901583241963


LED bulb GU10 2700K 5W 450lm 230V

120° Glass LITE


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,07 kg



Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	6,5 kg
Comments	



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

LED line LITE

Code: 241963

EAN: 5901583241963

**LED bulb GU10 2700K 5W 450lm 230V
120° Glass LITE**

Example application

