

LED line LITE

Code: 245541

EAN: 5901583245541

LED bulb G9 6000K 4W 350lm 230V
270° Ceramic LITE



LED line bulb LITE G9 4W 6000K is an advanced light source with a power of 4W and a light stream of 350 lumens, which translates into exceptional energy efficiency of 88 lm/W. It is characterized by a cool light colour with a temperature of 6000 K and a wide light angle of 270°. Made of ceramics, it ensures the durability of work up to 30,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 4 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	88
Luminous flux	350 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	16 mm
Beam angle	270 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	50
Colour	white
Material (housing)	Ceramics

LED line LITE

Code: 245541


EAN: 5901583245541

LED bulb G9 6000K 4W 350lm 230V
270° Ceramic LITE

Technical drawing






Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,01 kg

Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	7,455 kg
Comments	

Europallet

Quantity	25000
Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	477,12 kg

LED line LITE

Code: 245541

EAN: 5901583245541

**LED bulb G9 6000K 4W 350lm 230V
270° Ceramic LITE**

Example application