

LED line LITE

Code: 241918

EAN: 5901583241918

LED bulb GU10 4000K 3W 273lm 230V
120° Glass LITE



LED line bulb GU10 3W 4000K is a modern lighting solution that combines performance with elegant design. By emitting a light stream of 273 lumens at 91 lm/W efficiency, it provides clear and even lighting. The colour of light 4000 K creates a white glow and a wide light angle of 120° allows the light to be dispersed in the room.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 3 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	91
Luminous flux	273 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Fixture's diameter	50 mm
Beam angle	120 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	55
Material (housing)	Glass
Material (cover)	glass

LED line LITE


Code: 241918

EAN: 5901583241918

LED bulb GU10 4000K 3W 273lm 230V
120° Glass LITE

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,07 kg



Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	5 kg
Comments	



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

LED line LITE

Code: 241918

EAN: 5901583241918

**LED bulb GU10 4000K 3W 273lm 230V
120° Glass LITE**

Example application