


LED line PRIME Code: 243134 EAN: 5901583243134

LED line® downlight recessed-mounted round silver ROLLO MIDI













Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	Ш
Maximum suitable lamp power	35 W
Fixture's diameter	96
Lamp's diameter	50 mm
Y-axis angle regulation	45


Parameter	Value
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m
Installation method	recessed
Mounting hole diameter	85
Height	50
Colour	silver
Material (housing)	Aluminium



LED line PRIME Code: 243134 EAN: 5901583243134

LED line® downlight recessed-mounted round silver ROLLO MIDI

Technical drawing




Light distribution


Additional product photos






Logistics data







Single packaging

Width	100 mm
Height	45 mm
Length	125 mm
Weight	0,15 kg

Bulk packaging

Quantity	50
Width	270 mm
Height	240 mm
Length	520 mm
Volume	0,033 m3
Weight	11 kg
Comments	

Europallet

Height	1920 mm
Quantity in layer	200
Number of layers	8
Bulk quantity	1600
Weight	377 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 243134 EAN: 5901583243134

LED line® downlight recessed-mounted round silver ROLLO MIDI

Example application