

LED line LITE

Code: 247286

EAN: 5901583247286

LED line SMD 5W 2700K 400lm 220-260V 50mm



LITE SMD 5W 2700K LED line bulb is a modern lighting that combines energy efficiency with aesthetics. With a brightness of 400 lumens and a warm colour of light, 2700 K creates a cozy atmosphere in each interior. Thanks to SMD2835 diodes and high light efficiency 80 lm/W, the bulb offers a longevity of up to 30,000 hours and reliability with 96% light stream preservation. Ceramic partner housing with glass guarantee durability.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Energy class	A+
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	400
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Fixture's diameter	50 mm
Beam angle	110
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	22
Colour	white
Material (housing)	Ceramics
Material (cover)	glass

LED line LITE

Code: 247286


EAN: 5901583247286

LED line SMD 5W 2700K 400lm 220-260V 50mm


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	595 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	7 kg
Comments	



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	308 kg

---

LED line LITE

Code: 247286

EAN: 5901583247286

**LED line SMD 5W 2700K 400lm 220-  
260V 50mm**

---

**Example application**