MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

10 mm aluminum profile, anodized recessed 2 meters + frosted cover



Code: 478580

EAN: 5907777478580

The 2020 mm LED PRIME anodized aluminium profile is an elegant release solution that is characterized by high quality workmanship. The set includes a milky PVC lens to ensure uniform light scattering. Additionally, the product is equipped with two grey caps and three mounting brackets in the same color, which facilitates installation. Thanks to excellent heat discharge, the profile is durable and UV-resistant.

C	E
---	---

Technical data

Parameter	Value	
Warranty	2	
Maximum width of LED strip	1,2cm	
Length	2020	
Width	16	

Parameter	Value
Height	9,8
Colour	silver
Material (cover)	polycarbonate

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 478580

EAN: 5907777478580

10 mm aluminum profile, anodized recessed 2 meters + frosted cover

Technical drawing



Additional product photos





Logistics data



Single packaging

Quantity	1
Width	55 mm
Height	10 mm
Length	2040 mm
Weight	0,3 kg



Bulk packaging

50
170 mm
190 mm
2050 mm
16,5 kg



Europallet

Quantity	2500
Height	1000 mm
Bulk quantity	50
Weight	480 kg

Light distribution

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 478580

EAN: 5907777478580

10 mm aluminum profile, anodized recessed 2 meters + frosted cover

Example application