

LED line LITE

Code: 202849

EAN: 5905378202849

DOWNLIGHT EASY FIX PRO
3CCT(3K/4K/5K) 18W 1800lm round IP20
White LITE



LED line panel LITE Downlight EASY FIX PRO 18W is a unique lighting solution that combines elegance with functionality. It emits a light stream with a power of 1800 lumens, at a light colour temperature between 3000 K and 5000 K, allowing the atmosphere to be adapted in the room. High quality of performance guarantees long-term use.




Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K • 4000 K • 5000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	05
IEC protection class	II
Luminous efficacy	100
Luminous flux	1800
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	PWM


Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	217 mm
Beam angle	110
LED type	SMD2835
LED quantity	168
Power Factor	0,7
Number of on/off cycles	20000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Mounting hole diameter	55-175
Height	19,5
Weight	350
Colour	White
Material (cover)	Polycarbonate

DOWNLIGHT EASY FIX PRO
3CCT(3K/4K/5K) 18W 1800lm round IP20
White LITE

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	40 mm
Height	222 mm
Length	235 mm
Weight	0,46 kg

Bulk packaging

Quantity	20
Width	432 mm
Height	255 mm
Length	466 mm
Volume	0,051 m3
Weight	12,5 kg
Comments	

Europallet

Quantity	480
Height	1,90 m
Quantity in layer	120
Number of layers	4
Bulk quantity	24
Weight	325 kg

LED line LITE

Code: 202849

EAN: 5905378202849

**DOWNLIGHT EASY FIX PRO
3CCT(3K/4K/5K) 18W 1800lm round IP20
White LITE**

Example application