

LED line LITE

Code: 202214

EAN: 5905378202214

LED bulb E14 4000K 6W 720lm 230V
360° FILAMENT C35 Glass LITE



LED bulb E14 6W 4000K 720lm FILAMENT The C35 LED line LITE is a unique light source that harmoniously combines modern technology with classic design. It is distinguished by a power of 6 W and a light stream of 720 lumens, which ensures high efficiency with low energy consumption. The 4,000 K light colour emits neutral white light.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 6 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	720 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C35
Fixture's diameter	35 mm
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	98
Weight	14
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202214

EAN: 5905378202214

LED bulb E14 4000K 6W 720lm 230V
360° FILAMENT C35 Glass LITE

Technical drawing




Light distribution

Additional product photos



Logistics data




Single packaging

Quantity	1
Width	60 mm
Height	125 mm
Length	60 mm
Weight	0,02 kg



Bulk packaging

Quantity	100
Width	225 mm
Height	200 mm
Length	380 mm
Volume	0,017 m3
Weight	2,49 kg



Europallet

Height	1800 mm
Quantity in layer	1200
Number of layers	8
Bulk quantity	9600
Weight	239,04 kg

LED line LITE

Code: 202214

EAN: 5905378202214

**LED bulb E14 4000K 6W 720lm 230V
360° FILAMENT C35 Glass LITE**

Example application

