


LED line LITE Code: 470645 EAN: 5907777470645

LEDOM frameless LED panel 18W 4000K 1800lm





















Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	2
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	1
Luminous efficacy	100
Luminous flux	1800
Lifetime L70B50	30 000 h
Frequency of the supply voltage	50/60Hz
Fixture's diameter	120 mm

Parameter	Value
Beam angle	180
LED type	SMD2835
LED quantity	90
Lifespan	50 000 h
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Mounting hole diameter	90
Height	32
Colour	White
Material (housing)	Aluminium
Material (cover)	Polycarbonate



LED line LITE Code: 470645 EAN: 5907777470645

LEDOM frameless LED panel 18W 4000K 1800lm

Technical drawing

Light distribution




Additional product photos






Logistics data






Quantity	1
Width	130 mm
Height	40 mm
Length	165 mm
Weight	0,39 kg



Bulk packaging

Quantity	40
Width	430 mm
Height	280 mm
Length	350 mm
Volume	0,04214 m3
Weight	16,6 kg
Comments	



Europallet

Quantity	1000
Height	1544 mm
Quantity in layer	5
Number of layers	5
Bulk quantity	25
Weight	415 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 470645 EAN: 5907777470645

LEDOM frameless LED panel 18W 4000K 1800lm

Example application