

LED line PRIME

Code: 217041

EAN: 5905378217041

ESTADIO 250W 5000K 40° 170lm/w  
CRI80 PRIME

New

The ESTADIO 250W stadium frame from the PRIME LED line is an innovative lighting solution, offering extremely high light efficiency at 170 lm/W. It is characterized by a colour of 5000 K light, providing ideal visual conditions for sports facilities. The product attracts attention with resistance to atmospheric conditions with IP66 class leaks and IK10 protection, guaranteeing durability and durability.



Technical data

Parameter	Value	Parameter	Value
Warranty	5	CRI colour rendering index	80
Power	• 250 W	Beam angle	40
Voltage	• 100-227 V AC	LED type	EMC5050
Correlated colour temperature	• 5000 K	LED quantity	100
Colour of the light	White	Power Factor	0,95
IP protection rating	IP66	Lamp's warm-up time to 60%	0,5 s
IK protection rating	10	Ambient temperature suitable for operation	-40 / +45
IEC protection class	I	For indoor use	Outside
Luminous efficacy	170	Length	388
Luminous flux	42500	Width	305
The lumen maintenance factor	96	Height	150
Lifetime L70B50	100 000 h	Weight	4500
Colour consistency in McAdam ellipses	≤6	Material (housing)	Aluminium
Frequency of the supply voltage	50/60Hz	Material (cover)	polycarbonate

LED line PRIME


Code: 217041

EAN: 5905378217041

ESTADIO 250W 5000K 40° 170lm/w  
CRI80 PRIME

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Weight	5 kg
--------	------



Bulk packaging

Quantity	5
Weight	



Europallet

---

LED line PRIME

Code: 217041

EAN: 5905378217041

**ESTADIO 250W 5000K 40° 170lm/w  
CRI80 PRIME**

---

**Example application**