

LED line PRIME

Code: 209695

EAN: 5905378209695

LED line PRIME LED bulb E27 7W 2700K
1000lm 170-250V G45



LED bulb E27 7W 3000K from LED line PRIME is an effective light source with a high luminous flux of 1000 lumens. With a working voltage of 170-250 V AC, it is characterized by the energy efficiency class D and Ra color reproduction factor at 80. The angle of illumination is 220 degrees, allowing even illumination of the room. The product is made of ceramic and glass, which ensures aesthetic appearance and durability.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	G45
Fixture's diameter	45 mm
Beam angle	220
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	84
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass

LED line PRIME

Code: 209695


EAN: 5905378209695

LED line PRIME LED bulb E27 7W 2700K

1000lm 170-250V G45


Technical drawing

Light distribution




Additional product photos

Logistics data




Single packaging

Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,06 kg



Bulk packaging

Quantity	100
Width	270 mm
Height	230 mm
Length	530 mm
Volume	0,032 m3
Weight	7 kg



Europallet

Height	1840 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	224 kg

LED line PRIME

Code: 209695

EAN: 5905378209695

**LED line PRIME LED bulb E27 7W 2700K
1000lm 170-250V G45**

Example application