

LED line PRIME Code: 240379 EAN: 5901583240379

LED strip 600/5m SMD 12V YELLOW 9,6W IP20 8mm 5m PRIME

LED line 600 SMD 12V in yellow is an innovative lighting solution that is 9.6 W per metre. It emits light with a wavelength of 590 nm, providing a pleasant atmosphere. High quality of production and use of SMD3528 LEDs guarantee long-term use of up to 100,000 hours. The tapes are easily assembled thanks to the 3M 300 LSE adhesive tape, and the possibility of dimming using PWM makes it possible to adjust brightness.





Technical data

Parameter	Value
Warranty	5
Power	• 9.6 W / m
Voltage	• 12 V DC
Colour of the light	Yellow
IP protection rating	IP20
IEC protection class	III
Cutting section	2,5 cm
The lumen maintenance factor	>0,7
Lifetime L70B50	50 000 h
Dimmable function	PWM
Current (Im)	0,8
Beam angle	120
LED type	SMD3528
Compatible dimmer type	PWM

Parameter	Value
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	120
Type of adhesive tape	3M 300 LSE
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Length	5000 mm
Width	8
Height	2,5
Weight	0,09 kg




LED line PRIME Code: 240379 EAN: 5901583240379

LED strip 600/5m SMD 12V YELLOW 9,6W IP20 8mm 5m PRIME

Technical drawing

Light distribution




Additional product photos

Logistics data






Quantity	5 m
Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,105 kg



Bulk packaging

Quantity	40
Width	320 mm
Height	180 mm
Length	360 mm
Volume	0,020 m3
Weight	4,26 kg
Comments	



Europallet

Quantity	12000 m
Height	1800 mm
Quantity in layer	240
Number of layers	10
Bulk quantity	2400

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 240379 EAN: 5901583240379

LED strip 600/5m SMD 12V YELLOW 9,6W IP20 8mm 5m PRIME

Example application

Generated 27-08-2025 time 18:08 from the PIM B2B system - LED Line

T: +48 29 764 77 00

export@ledline.pl

www.ledline.pl/en