

LED line LITE

Code: 201378

EAN: 5905378201378

LED line LITE Ceiling lamp PLAFON 12W
4000K 960lm IP44



LED Line LITE is an advanced 12W light mount, emitting bright light with a stream of 960 lm and a colour of 4000 K. Thanks to IP44 leak class, the product is resistant to moisture and dust, which ensures its durability in both indoor and external spaces. High light efficiency of 80 lm/W and Ra>80 color rendering ratio guarantee excellent color reproduction.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP44
IEC protection class	I
Luminous efficacy	80
Luminous flux	960
The lumen maintenance factor	96

Parameter	Value
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	260 mm
Beam angle	120
LED type	SMD 2835
LED quantity	14
Ambient temperature suitable for operation	-20÷40
Height	52
Weight	220
Colour	White


LED line LITE

Code: 201378


EAN: 5905378201378

LED line LITE Ceiling lamp PLAFON 12W
4000K 960lm IP44

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	300 mm
Height	300 mm
Length	70 mm
Weight	0,24 kg



Bulk packaging

Quantity	16
Width	620 mm
Height	320 mm
Length	620 mm
Volume	0,123 m3
Weight	4,19 kg
Comments	



Europallet

Height	1920 mm
Quantity in layer	16
Number of layers	6
Bulk quantity	96
Weight	25,14 kg

LED line LITE

Code: 201378

EAN: 5905378201378

**LED line LITE Ceiling lamp PLAFON 12W
4000K 960lm IP44**

Example application

