

LED line PRIME


Code: 228108

EAN: 5905378228108

Wall washer ALVERIS 3CCT (2,7/3/4K)
2x9W 1800lm 60° square IP65 Black
PRIME



The LED line ALVERIS 3CCT facade fixtures are reliable outdoor lighting with an IP65 degree of protection, designed to effectively highlight the architecture of buildings and garden spaces. The innovative color-changing feature and the choice of light direction (single-sided or double-sided) allow for perfect illumination matching the color of the facade. Made from durable, sun-resistant materials, they ensure years of trouble-free operation and impeccable aesthetics in all weather conditions.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	• 2 x 9 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K • 3000 K • 4000 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	03
IEC protection class	II
Luminous efficacy	100
Luminous flux	1800

Parameter	Value
Lifetime L70B50	35 000 h
Frequency of the supply voltage	50/60Hz
Beam angle	60°
Power Factor	>=0,9
Ambient temperature suitable for operation	` -20 ~45
For indoor use	Outside
Length	80 mm
Width	110 mm
Height	140 mm
Weight	0,321 kg
Material (housing)	Polycarbonate


LED line PRIME

Code: 228108

EAN: 5905378228108


Wall washer ALVERIS 3CCT (2,7/3/4K)
2x9W 1800lm 60° square IP65 Black
PRIME

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	90 mm
Height	120 mm
Length	190 mm
Weight	0,961 kg



Bulk packaging

Quantity	20
Width	260 mm
Height	405 mm
Length	475 mm
Weight	20,13 kg



Europallet

Quantity	16
Height	1,7 m
Bulk quantity	320
Weight	360 kg

LED line PRIME

Code: 228108

EAN: 5905378228108

Wall washer ALVERIS 3CCT (2,7/3/4K)
2x9W 1800lm 60° square IP65 Black
PRIME

Example application