

LED line PRIME Code: 202078 EAN: 5905378202078

LED tube T8 G13 6500K 9W 1350lm 230V 270° 60cm Glass PRIME



LED light bulb T8 9W 6500K from LED line PRIME is an advanced light source with high energy efficiency. It emits bright light with a luminous flux of 1350 lumens at a power of only 9 W, which translates into a light output of 150 lm/W. The high-speed milk glass ensures a uniform distribution of light at an angle of 270° and the Ra \geq 80 colour rendering coefficient guarantees natural color reproduction.















Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 9 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	1350 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	46
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Length	600
Material	Glass
Material (housing)	Glass
Material (cover)	glass




LED line PRIME Code: 202078 EAN: 5905378202078

LED tube T8 G13 6500K 9W 1350lm 230V 270° 60cm Glass PRIME

Technical drawing




Light distribution



Additional product photos












Logistics data







Single packaging

Quantity	1
Width	47 mm
Height	15 mm
Length	47 mm
Weight	0,12 kg

Bulk packaging

Quantity	25
Width	660 mm
Height	175 mm
Length	170 mm
Volume	0,020 m3
Weight	4,1 kg

Europallet

Height	1850 mm
Quantity in layer	150
Number of layers	10
Bulk quantity	1925
Weight	264 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 202078 EAN: 5905378202078

LED tube T8 G13 6500K 9W 1350lm 230V 270° 60cm Glass PRIME

Example application