


LED line PRIME

Code: 249235

EAN: 5901583249235

LED line downlight round die cast aluminium black

The PRIME LED line ceiling housing, made of durable aluminium casting, combines modern design with functionality. Its matt finish and elegant black color are an excellent complement to modern interiors. It offers a diameter of 77 mm, perfectly suited to 65 mm mounting holes, which provides aesthetic integration into the ceiling. Thanks to the high class of IP20 tightness is designed for internal applications.



Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Fixture's diameter	77
Lamp's diameter	50 mm
Type of surface suitable for installation	F

Parameter	Value
Distance from illuminated surface	0.5 m
Installation method	recessed
Mounting hole diameter	65
Height	30
Colour	black
Material (housing)	Die cast aluminium


LED line PRIME

Code: 249235

EAN: 5901583249235

LED line downlight round die cast aluminium black

Technical drawing



Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	100 mm
Height	110 mm
Length	40 mm
Weight	0,05 kg



Bulk packaging

Quantity	100
Width	380 mm
Height	220 mm
Length	470 mm
Volume	0,039 m3
Weight	8 kg
Comments	



Europallet

Quantity	2800
Height	1760 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	256 kg

---

LED line PRIME

Code: 249235

EAN: 5901583249235

**LED line downlight round die cast  
aluminium black**

---

**Example application**