

LED line PRIME

Code: 470232-II

EAN: 5905378201699

LED bulb E14 2700K 9W 1170lm 230V
220° C37 DIM Ceramic PRIME



LED bulb E14 9W 2700K 1170lm from LED line PRIME is a highly efficient and durable product, characterized by a light stream of 1170 lumens and a pleasant warm light with a colour temperature of 2700 K. Thanks to the dimming function and energy class E achieves excellent efficiency of 130 lm/W. The use of SMD2835 diodes and ceramics ensures a longevity of up to 30,000 hours.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	E	Lamp's type	C37
Warranty	5	Fixture's diameter	37 mm
Power	• 9 W	Beam angle	220 °
Voltage	• 170-250 V AC	LED type	SMD2835
Correlated colour temperature	• 2700 K	Compatible dimmer type	TRIAC
Colour of the light	White	Power Factor	0,7
Colour rendering index Ra	80	Number of on/off cycles	50000
IP protection rating	IP20	Lamp's warm-up time to 60%	1
Luminous efficacy	130	Ambient temperature suitable for operation	-20÷40
Luminous flux	1170 lm	For indoor use	Inside
The lumen maintenance factor	96	Height	111
Lifetime L70B50	30 000 h	Colour	White
Survival factor	0.9	Material	Ceramic
Dimmable function	Triac	Material (housing)	Ceramics
Colour consistency in McAdam ellipses	≤6	Material (cover)	glass
Frequency of the supply voltage	50/60Hz		

LED line PRIME


Code: 470232-II

EAN: 5905378201699


LED bulb E14 2700K 9W 1170lm 230V

220° C37 DIM Ceramic PRIME

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,06 kg



Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg
Comments	



Europallet

Quantity	25000
Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

LED line PRIME

Code: 470232-II

EAN: 5905378201699

**LED bulb E14 2700K 9W 1170lm 230V
220° C37 DIM Ceramic PRIME**

Example application