

LED line PRIME

Code: 210653

EAN: 5905378210653

**Connector L for 3 phase track
LUMICANTO left black with feeding
PRIME**

L connector for LUMICANTO rails in black is a high quality element designed for LED line PRIME lighting systems. It is characterized by working voltage 220-240V AC and rated current 16A, which ensures stability and safety in use. Made of plastic, the product is resistant to different operating conditions.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	98
Width	98
Height	31
Power supply connection	tak
Equivalent	XTS 35
Colour	Black
Material (housing)	Plastic

LED line PRIME

Code: 210653


EAN: 5905378210653

**Connector L for 3 phase track
LUMICANTO left black with feeding
PRIME**


Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	100 mm
Height	30 mm
Length	100 mm
Weight	0,09 kg

Bulk packaging

Quantity	100
Width	250 mm
Height	220 mm
Length	400 mm
Volume	0,022 m3
Weight	9,6 kg

Europallet

Height	1760 mm
Quantity in layer	900
Number of layers	8
Bulk quantity	7200
Weight	691,2 kg

LED line PRIME

Code: 210653

EAN: 5905378210653

**Connector L for 3 phase track
LUMICANTO left black with feeding
PRIME**

Example application