

LED line PRIME


Code: 202115

EAN: 5905378202115

LED tube T8 G13 6500K 22W 3300lm
230V 270° 150cm Glass PRIME



LED light bulb T8 22W 6500K by LED line PRIME is a modern lighting solution that combines high efficiency with longevity. By emitting a light stream of 3300 lumens and having a high performance of 150 lm/W, it provides a bright, white light similar to natural light. Thanks to SMD2835 diodes and low flickering rate (SVM ≤0.4), it offers comfort of use.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 22 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	3300 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	120
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Length	1500
Material	Glass
Material (housing)	Glass
Material (cover)	glass

LED line PRIME


Code: 202115

EAN: 5905378202115


LED tube T8 G13 6500K 22W 3300lm

230V 270° 150cm Glass PRIME


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	47 mm
Height	14 mm
Length	47 mm
Weight	0,24 kg



Bulk packaging

Quantity	25
Width	175 mm
Height	170 mm
Length	1590 mm
Volume	0,047 m3
Weight	8,4 kg



Europallet

Quantity	700
Height	1,8 m
Quantity in layer	700
Number of layers	1
Bulk quantity	28
Weight	260 kg

LED line PRIME

Code: 202115

EAN: 5905378202115

**LED tube T8 G13 6500K 22W 3300lm
230V 270° 150cm Glass PRIME**

Example application