

LED line PRIME

Code: 245442

EAN: 5901583245442

LED line downlight waterproof round
die cast aluminium satin

The waterproof LED line Prime is a unique combination of modern design and functionality. It has an mounting diameter of 83 mm and the use of high quality matt glass in a lamp, embedded in a durable aluminium casting. The distinguishing feature is the elegant satin coating, which emphasizes aesthetics. Thanks to the IP44 protection class, the housing is resistant to moisture and dust, making it ideal for versatile installations.



Technical data

Parameter	Value
Warranty	5
IEC protection class	III
Maximum suitable lamp power	35 W
Fixture's diameter	83
Lamp's diameter	50 mm
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m

Parameter	Value
Installation method	recessed
Mounting hole diameter	73
Height	55
Colour	satin
Material (housing)	Die cast aluminium
Material (cover)	Frosted glass


LED line PRIME

Code: 245442

EAN: 5901583245442

LED line downlight waterproof round
die cast aluminium satin

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	91 mm
Height	76 mm
Length	91 mm
Weight	0,17 kg



Bulk packaging

Quantity	50
Width	0 mm
Height	0 mm
Length	500 mm
Volume	0 m3
Weight	8,15 kg
Comments	



Europallet

Quantity	2400
Height	1800 mm
Quantity in layer	2
Number of layers	12
Bulk quantity	24
Weight	209 kg

LED line PRIME

Code: 245442

EAN: 5901583245442

**LED line downlight waterproof round
die cast aluminium satin**

Example application