

LED line LITE


Code: 244728

EAN: 5901583244728

LED bulb GU10 3000K 7W 581lm 230V
120° PC LITE



LED bulb GU10 7W 3000K 600lm from LED line LITE is an efficient light source with a life of up to 50,000 hours. It is characterized by a light stream of 600 lumens and a pleasant warm white colour (3000 K), which creates a comfortable atmosphere. The 120° lighting angle used allows even illumination of the space. The high colour reproduction coefficient $R_a \geq 80$ provides natural color rendering, and the lack of flickering increases comfort of use.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 7 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	83
Luminous flux	581 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 $\approx$ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤ 6
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	56 mm
Weight	0,019 kg
Material (housing)	Polycarbonate

LED line LITE

Code: 244728


EAN: 5901583244728

LED bulb GU10 3000K 7W 581lm 230V

120° PC LITE




Technical drawing

Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	1560 mm
Height	30 mm
Length	30 mm
Weight	0,02 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	145 mm
Length	530 mm
Volume	0,020 m3
Weight	3,2 kg
Comments	

Europallet

Quantity	7200
Height	1,90 m
Quantity in layer	600
Number of layers	12
Bulk quantity	72
Weight	215 kg

LED line LITE

Code: 244728

EAN: 5901583244728

LED bulb GU10 3000K 7W 581lm 230V
120° PC LITE

Example application