

LED line LITE

Code: 201408

EAN: 5905378201408

LED line LITE Ceiling lamp PLAFON 18W
3000K 1450lm IP44 with motion sensor



18W LED Line LITE and 3000K colour temperature is a modern light source, offering a light stream of 1450 lm. Thanks to IP44 protection class is resistant to moisture and dust, which ensures its durability under different conditions. Equipped with motion sensor with detection angles of 360° and range of up to 6 meters, it automatically adjusts lighting, which increases comfort of use and energy efficiency.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	<ul style="list-style-type: none">18 W
Voltage	<ul style="list-style-type: none">220-240 V AC
Correlated colour temperature	<ul style="list-style-type: none">3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP44
IEC protection class	I
Luminous efficacy	80
Luminous flux	1450
The lumen maintenance factor	96
Lifetime L70B50	30 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Hold time	30 s
Frequency of the supply voltage	50/60Hz
Fixture's diameter	350 mm
Beam angle	120
Motion detection range and angle	360° 6m
LED type	SMD 2835
LED quantity	21
Ambient temperature suitable for operation	-20÷40
Height	58
Weight	430
Colour	White


LED line LITE

Code: 201408


EAN: 5905378201408

LED line LITE Ceiling lamp PLAFON 18W
3000K 1450lm IP44 with motion sensor

Technical drawing



Light distribution



Additional product photos



Logistics data




Single packaging

Quantity	1
Width	380 mm
Height	380 mm
Length	70 mm
Weight	0,4 kg



Bulk packaging

Quantity	12
Width	490 mm
Height	405 mm
Length	790 mm
Volume	0,156 m3
Weight	5,15 kg
Comments	



Europallet

Height	1620 mm
Quantity in layer	24
Number of layers	4
Bulk quantity	96
Weight	41,2 kg

LED line LITE

Code: 201408

EAN: 5905378201408

**LED line LITE Ceiling lamp PLAFON 18W
3000K 1450lm IP44 with motion sensor**

Example application

