

LED line LITE

Code: 202306

EAN: 5905378202306

LED bulb E14 2700K 5W 600lm 230V
360° FILAMENT C35 DIM Glass LITE



LED bulb E14 5W 2700K 600lm FILAMENT C35 DIM from LED line LITE is an ideal combination of aesthetics and energy efficiency. It is characterized by a light stream of 600 lumens and a performance of 120 lm/W, which provides excellent energy savings. IP20 leak class guarantees reliability in dry interiors.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	E	Lamp's type	C35
Warranty	3	Fixture's diameter	35 mm
Power	• 5 W	Beam angle	360 °
Voltage	• 220-240 V AC	LED type	Filament
Correlated colour temperature	• 2700 K	LED quantity	4
Colour of the light	White	Lifespan	25 000 h
Colour rendering index Ra	80	Number of on/off cycles	50000
IP protection rating	IP20	Lamp's warm-up time to 60%	1
Luminous efficacy	120	Ambient temperature suitable for operation	-20÷40
Luminous flux	600 lm	For indoor use	Inside
The lumen maintenance factor	96	Height	98
Lifetime L70B50	25 000 h	Weight	12
Survival factor	0.9	Material	Glass
Dimmable function	Triac	Material (housing)	Glass
Colour consistency in McAdam ellipses	≤6	Material (cover)	glass
Frequency of the supply voltage	50/60Hz		


LED line LITE

Code: 202306

EAN: 5905378202306

LED bulb E14 2700K 5W 600lm 230V
360° FILAMENT C35 DIM Glass LITE

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	60 mm
Height	115 mm
Length	60 mm
Weight	0,02 kg



Bulk packaging

Quantity	100
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	2,53 kg



Europallet

Height	1880 mm
Quantity in layer	800
Number of layers	8
Bulk quantity	6400
Weight	161,92 kg

LED line LITE

Code: 202306

EAN: 5905378202306

**LED bulb E14 2700K 5W 600lm 230V
360° FILAMENT C35 DIM Glass LITE**

Example application

