

LED line PRIME

Code: 471062

EAN: 5907777471062

LED line downlight waterproof square die cast aluminium black

The PRIME LED line ceiling housing in square shape is an elegant and modern solution. Made of durable matt aluminum, it combines aesthetics with resistance to atmospheric conditions. Its glass lens provides a uniform spread of light, creating a pleasant atmosphere. Thanks to the installation and installation possibilities of 0.5 metres, the housing is universal and easy to use.



Technical data

Parameter	Value
Warranty	5
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m

Parameter	Value
Installation method	recessed
Mounting hole diameter	73
Height	50
Material (housing)	Aluminium
Material (cover)	glass


LED line PRIME

Code: 471062

EAN: 5907777471062

LED line downlight waterproof square
die cast aluminium black

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	106 mm
Height	71 mm
Length	95 mm
Weight	0,19 kg



Bulk packaging

Quantity	50
Width	0 mm
Height	0 mm
Length	500 mm
Volume	0 m3
Weight	10,1 kg
Comments	



Europallet

Quantity	2800
Height	1800 mm
Quantity in layer	4
Number of layers	7
Bulk quantity	28
Weight	271 kg

LED line PRIME

Code: 471062

EAN: 5907777471062

**LED line downlight waterproof square
die cast aluminium black**

Example application