

LED line PRIME

Code: 201934

EAN: 5905378201934

LED bulb MR16 2700K 8,5W 1020lm 10-18V AC/DC 120° GU5,3 Ceramic PRIME



LED bulb MR16 8,5W 2700K from LED line PRIME is an innovative light source with high efficiency. It emits a light stream of 1020 lumens, at a colour temperature of 2700 K, which provides warm and pleasant lighting. Its 120° lighting angle and high light performance (120 lm/W) guarantee excellent light quality.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 8.5 W
Voltage	• 10-18 V AC/DC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	1020 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	MR16
Fixture's diameter	50 mm
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5+40
For indoor use	Inside
Height	50
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 201934


EAN: 5905378201934

LED bulb MR16 2700K 8,5W 1020lm 10-18V AC/DC 120° GU5,3 Ceramic PRIME


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	20 mm
Height	20 mm
Length	76 mm
Weight	0,06 kg



Bulk packaging

Quantity	100
Width	280 mm
Height	145 mm
Length	575 mm
Volume	0,023 m3
Weight	7 kg



Europallet

Height	1950 mm
Quantity in layer	400
Number of layers	13
Bulk quantity	5200
Weight	364 kg

LED line PRIME

Code: 201934

EAN: 5905378201934

LED bulb MR16 2700K 8,5W 1020lm 10-18V AC/DC 120° GU5,3 Ceramic PRIME

Example application

