

LED line LITE

Code: 247293

EAN: 5901583247293

LED line® SMD 5W 4000K 400lm 220-260V 50mm



LED line SMD 5W is a modern 5W lamp, providing a light stream of 400 lm at a light colour temperature of 4000 K. It works in the voltage range 220 to 260 V AC, making it compatible with standard electrical installations. Thanks to the use of SMD2835 diodes and high light performance of 80 lm/W, the light emitted is bright and energy efficient.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Energy class	A+
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	400
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Fixture's diameter	50 mm
Beam angle	110
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	22
Colour	white
Material (housing)	Ceramics
Material (cover)	glass

LED line LITE

Code: 247293


EAN: 5901583247293

LED line® SMD 5W 4000K 400lm 220-260V 50mm


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	7 kg
Comments	



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	308 kg

LED line LITE

Code: 247293

EAN: 5901583247293

**LED line® SMD 5W 4000K 400lm 220-
260V 50mm**

Example application