

LED line PRIME

Code: 210615

EAN: 5905378210615

**Connector I mini for 3 phase track
LUMICANTO black PRIME**

The I mini connector for the LUMICANTO rail in black from the LED line PRIME is an innovative solution for lighting systems. The product is characterized by a solid design, providing a stable combination of components in the installation. Equipped with high quality materials, it guarantees reliability and ease of installation. Thanks to the possibilities of application in various configurations, it combines functionality with the aesthetics of modern design.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	68
Width	27
Height	31
Power supply connection	nie
Equivalent	XTS 21
Colour	Black
Material (housing)	Plastic

LED line PRIME

Code: 210615

EAN: 5905378210615

**Connector I mini for 3 phase track
LUMICANTO black PRIME**



Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	30 mm
Height	70 mm
Length	30 mm
Weight	0,02 kg

Bulk packaging

Quantity	300
Width	200 mm
Height	200 mm
Length	300 mm
Volume	0,012 m ³
Weight	7,2 kg

Europallet

Height	1800 mm
Quantity in layer	4800
Number of layers	9
Bulk quantity	43200
Weight	707,04 kg

LED line PRIME

Code: 210615

EAN: 5905378210615

**Connector I mini for 3 phase track
LUMICANTO black PRIME**

Example application