

LED line PRIME

Code: 201569

EAN: 5905378201569

LED bulb GU10 6500K 10W 1250lm 230V
120° DIM Ceramic PRIME



LED bulb GU10 10W 6500K from LED line PRIME is an efficient light source with excellent parameters. It emits a cold, white light with a colour temperature of 6500 K and a light stream of 1250 lumens, which provides clear lighting. Thanks to a light angle of 120°, it distributes light evenly in the rooms.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 10 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	125
Luminous flux	1250 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	Triac
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Fixture's diameter	50 mm
Beam angle	120 °
LED type	SMD2835
Compatible dimmer type	TRIAC
Power Factor	0,7
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55
Colour	White
Material	Ceramic
Material (housing)	Ceramics

LED line PRIME


Code: 201569

EAN: 5905378201569


LED bulb GU10 6500K 10W 1250lm 230V
120° DIM Ceramic PRIME

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	155 mm
Length	575 mm
Volume	0,024 m3
Weight	7 kg

Europallet

Height	1860 mm
Quantity in layer	400
Number of layers	12
Bulk quantity	4800
Weight	336 kg

LED line PRIME

Code: 201569

EAN: 5905378201569

**LED bulb GU10 6500K 10W 1250lm 230V
120° DIM Ceramic PRIME**

Example application

