

LED line PRIME

Code: 245398

EAN: 5901583245398

LED line downlight waterproof square die cast aluminium satin

The PRIME LED line ceiling housing is a square model made of aluminium cast in an elegant satin finish. Thanks to the matt glass lens, this waterproof IP44 protection housing ensures uniform light scattering. Its maximum power is 35 W, and the dimensions of 84 mm x 84 mm x 50 mm make it perfectly composed in different spaces.



Technical data

Parameter	Value
Warranty	5
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m
Installation method	recessed

Parameter	Value
Mounting hole diameter	73
Length	84
Width	84
Height	50
Colour	satin
Material (housing)	Die cast aluminium
Material (cover)	Frosted glass


LED line PRIME

Code: 245398

EAN: 5901583245398

LED line downlight waterproof square  
die cast aluminium satin

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Width	106 mm
Height	71 mm
Length	95 mm
Weight	0,19 kg



Bulk packaging

Quantity	50
Width	0 mm
Height	0 mm
Length	500 mm
Volume	0 m3
Weight	10,1 kg
Comments	



Europallet

Quantity	1000
Height	1800 mm
Quantity in layer	4
Number of layers	5
Bulk quantity	20
Weight	350 kg

---

LED line PRIME

Code: 245398

EAN: 5901583245398

**LED line downlight waterproof square  
die cast aluminium satin**

---

**Example application**