

LED line LITE

Code: 201392

EAN: 5905378201392

LED line LITE Ceiling lamp PLAFON 18W 3000K 1450lm IP44



18W LED Line LITE and 3000K colour temperature emits a pleasant, warm light stream of 1450 lm. It is characterized by IP44 leak class, which provides resistance to moisture and dust, perfectly giving it for both internal and external applications. The SMD 2835 provides high light performance of 80 lm/W and a working life of up to 30,000 hours.




Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP44
IEC protection class	I
Luminous efficacy	80
Luminous flux	1450
The lumen maintenance factor	96


Parameter	Value
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	350 mm
Beam angle	120
LED type	SMD 2835
LED quantity	21
Ambient temperature suitable for operation	-20÷40
Height	58
Weight	410
Colour	White

LED line LITE Ceiling lamp PLAFON 18W
3000K 1450lm IP44

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	380 mm
Height	380 mm
Length	70 mm
Weight	0,38 kg



Bulk packaging

Quantity	12
Width	490 mm
Height	405 mm
Length	790 mm
Volume	0,156 m3
Weight	4,91 kg
Comments	



Europallet

Height	1620 mm
Quantity in layer	24
Number of layers	4
Bulk quantity	96
Weight	39,28 kg

LED line LITE

Code: 201392

EAN: 5905378201392

**LED line LITE Ceiling lamp PLAFON 18W
3000K 1450lm IP44**

Example application

