

LED line PRIME

Code: 210202-CAW3HAT

EAN: 5905378220133

**Hermetic luminaire RANGER 3CCT  
3K/4K/5K 10-40W 6000lm IP66 120cm  
gray PRIME emergency module CAW 3h  
AT CNBOP**



RANGER 10-40W CCT 6000lm 120cm IP66 PRIME is an ideal solution for demanding users, providing high light performance of 150 lm/W. It is characterized by a durable polycarbonate housing and IP66 protection, which guarantees resistance to water and dust.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 10-40 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K • 4000 K • 5000 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	150
Luminous flux	6000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Emergency module test	Autotest

Parameter	Value
Operating time in emergency mode	3 h
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD2835
LED quantity	312
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷45
Length	1210 mm
Width	80 mm
Height	69 mm
Weight	1,76 kg
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
Emergency module	• YES

LED line PRIME

Code: 210202-CAW3HAT

EAN: 5905378220133

**Hermetic luminaire RANGER 3CCT  
3K/4K/5K 10-40W 6000lm IP66 120cm  
gray PRIME emergency module CAW 3h  
AT CNBOP**




Technical drawing

Light distribution

Additional product photos



Logistics data



**Single packaging**

Quantity	1
Width	83 mm
Height	82 mm
Length	1215 mm
Weight	1,95 kg

**Bulk packaging**

Quantity	12
Width	316 mm
Height	273 mm
Length	1232 mm
Weight	28,7 kg

**Europallet**

Quantity	144
Height	1500 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	369 kg

---

LED line PRIME

Code: 210202-CAW3HAT

EAN: 5905378220133

**Hermetic luminaire RANGER 3CCT  
3K/4K/5K 10-40W 6000lm IP66 120cm  
gray PRIME emergency module CAW 3h  
AT CNBOP**

---

**Example application**