

LED line PRIME

Code: 202108

EAN: 5905378202108

LED tube T8 G13 4000K 22W 3300lm  
230V 270° Glass 150cm PRIME



LED light bulb T8 22W 4000K from LED line PRIME is an advanced light source with a length of 150 cm and a light stream of 3300 lumens. Thanks to its light output of 150 lm/W, it is characterized by low energy consumption and a durability estimated at 25,000 hours. The product, made of milk-glass glass, ensures even distribution of light without flickering.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 22 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	3300 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	120
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Length	1500
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line PRIME

Code: 202108


EAN: 5905378202108

LED tube T8 G13 4000K 22W 3300lm  
230V 270° Glass 150cm PRIME


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	47 mm
Height	36 mm
Length	47 mm
Weight	0,24 kg



Bulk packaging

Quantity	25
Width	175 mm
Height	170 mm
Length	1590 mm
Volume	0,047 m3
Weight	8,4 kg



Europallet

Quantity	600
Height	1,8 m
Quantity in layer	600
Number of layers	1
Bulk quantity	24
Weight	252 kg

---

LED line PRIME

Code: 202108

EAN: 5905378202108

**LED tube T8 G13 4000K 22W 3300lm  
230V 270° Glass 150cm PRIME**

---

**Example application**