

LED line LITE

Code: 202313

EAN: 5905378202313

LED bulb E14 4000K 5W 600lm 230V
360° FILAMENT C35 DIM Glass LITE



LED bulb E14 5W 4000K 600lm FILAMENT C35 DIM from the LED line LITE brand is an elegant combination of modernity and classics. Thanks to a transparent glass lens and an innovative LED band, it provides beautiful and even light throughout the room. It is characterized by a light stream of 600 lumens and high performance of 120 lm/W.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 5 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	600 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	Triac
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C35
Fixture's diameter	35 mm
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	98
Weight	12
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202313

EAN: 5905378202313

LED bulb E14 4000K 5W 600lm 230V
360° FILAMENT C35 DIM Glass LITE

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	60 mm
Height	125 mm
Length	60 mm
Weight	0,02 kg



Bulk packaging

Quantity	100
Width	225 mm
Height	200 mm
Length	380 mm
Volume	0,017 m3
Weight	2,54 kg



Europallet

Height	1800 mm
Quantity in layer	1200
Number of layers	8
Bulk quantity	9600
Weight	243,84 kg

LED line LITE

Code: 202313

EAN: 5905378202313

**LED bulb E14 4000K 5W 600lm 230V
360° FILAMENT C35 DIM Glass LITE**

Example application

