

LED line PRIME


Code: 203051

EAN: 5905378203051

LED line PRIME Floodlight 150W CCT 21000lm T3



The PRIME Floodlight 150W LED line light combines high performance with modern lighting technology. It emits an impressive 21000 lm light stream, which translates into efficiency as much as 140 lm/W. Its IP66 seal class provides resistance to difficult weather conditions. Thanks to materials such as aluminum and tempered glass, the device guarantees long-term operation and safety.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	150 W
Voltage	100-277 V AC
Correlated colour temperature	3000 K 4000 K 5000 K
Colour of the light	CCT
Colour rendering index Ra	70
IP protection rating	IP66
IK protection rating	08
IEC protection class	I
Luminous efficacy	140
Luminous flux	21000
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Mounting type	surface
Frequency of the supply voltage	50/60Hz
Beam angle	105°x155°
LED type	SMD2835
LED quantity	360
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-40÷45
Length	412
Width	360
Height	54
Weight	3,3
Material (housing)	Aluminium
Material (cover)	Tempered glass

LED line PRIME

Code: 203051

EAN: 5905378203051

LED line PRIME Floodlight 150W CCT
21000lm T3




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	420 mm
Height	80 mm
Length	450 mm
Weight	5,5 kg

Bulk packaging

Quantity	1
Width	42 mm
Height	80 mm
Length	450 mm
Volume	0,0151 m3
Weight	5,5 kg
Comments	

Europallet

Quantity	60
Height	1260 mm
Quantity in layer	20
Number of layers	3
Bulk quantity	60
Weight	330 kg

LED line PRIME

Code: 203051

EAN: 5905378203051

LED line PRIME Floodlight 150W CCT
21000lm T3

Example application