


LED line PRIME

Code: 241222

EAN: 5901583241222

LED line downlight aluminium square adjustable SLIM white matt AKROS

SLIM square ceiling housing in white LED line PRIME mat color combines modern design with functionality. Its robust aluminum design ensures long-term use and efficient heat discharge. Thanks to the adjustment of the lighting angle in the y-axis, it is possible to direct the light precisely. IP20 leak class guarantees internal security and low energy consumption allows savings.



Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Y-axis angle regulation	35
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m

Parameter	Value
Installation method	recessed
Mounting hole diameter	85
Length	92
Width	92
Height	25
Colour	white
Material (housing)	Aluminium


LED line PRIME

Code: 241222

EAN: 5901583241222

LED line downlight aluminium square adjustable SLIM white matt AKROS

Technical drawing



Light distribution

Additional product photos




Logistics data




Single packaging

Width	100 mm
Height	110 mm
Length	40 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	520 mm
Height	220 mm
Length	440 mm
Volume	0,050 m3
Weight	11 kg
Comments	



Europallet

Quantity	2000
Height	1760 mm
Quantity in layer	200
Number of layers	8
Bulk quantity	1600
Weight	176 kg

LED line PRIME

Code: 241222

EAN: 5901583241222

**LED line downlight aluminium square
adjustable SLIM white matt AKROS**

Example application