

LED line PRIME

Code: 248610-II

EAN: 5905378201668

LED bulb E14 2700K 9W 1260lm 230V
220° C37 Ceramic PRIME



LED bulb E14 9W 2700K 1260lm from LED line PRIME is a modern light source that improves the space with its warm tone with a colour temperature of 2700K. With an impressive light stream of 1260 lumens and a light output of 140 lm/W, it provides high energy efficiency. Built of ceramics and glass, it is characterized by durability and elegant appearance.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 9 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1260 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111 mm
Diameter	37 mm
Weight	0,051 kg
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass

LED line PRIME


Code: 248610-II

EAN: 5905378201668


LED bulb E14 2700K 9W 1260lm 230V

220° C37 Ceramic PRIME

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	64 mm
Height	127 mm
Length	64 mm
Weight	0,066 kg



Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg



Europallet

Quantity	36
Height	1800 mm
Quantity in layer	
Number of layers	
Bulk quantity	3600
Weight	290 kg

LED line PRIME

Code: 248610-II

EAN: 5905378201668

**LED bulb E14 2700K 9W 1260lm 230V
220° C37 Ceramic PRIME**

Example application