

LED line LITE


Code: 247811

EAN: 5901583247811

LED bulb GU10 6500K 3W 273lm 230V
36° Glass LITE



LED GU10 3W LED line LITE bulb is a modern lighting solution with a light stream parameter of 273 lm. Thanks to its high light output of 91 lm/W and energy class F, it is a cost-effective alternative. The light colour temperature of 6500 K provides cold, white light, perfectly reflective of the ambient colors thanks to the Ra80 colour mapping factor. A light angle of 36° allows for effective accenting of selected spaces.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 3 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	91
Luminous flux	273lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	36°
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	53
Fixture's diameter	50 mm
Material (housing)	Glass
Material (cover)	glass

LED line LITE


Code: 247811

EAN: 5901583247811


LED bulb GU10 6500K 3W 273lm 230V

36° Glass LITE

Technical drawing






Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	10
Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,07 kg

Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	6,5 kg
Comments	

Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

LED line LITE

Code: 247811

EAN: 5901583247811

**LED bulb GU10 6500K 3W 273lm 230V
36° Glass LITE**

Example application