

LED line PRIME

Code: 210585

EAN: 5905378210585

3 phase rail LUMICANTO 2m black PRIME



LUMICANTO 3-phase rail cable with a length of 2 meters in black, produced by the PRIME LED line brand, combines modern design with functionality. Made of high quality aluminum, it ensures durability and aesthetics. Its maximum load is 16A with a working voltage of 220 to 240V AC. This product is covered by a five-year warranty and has a degree of IP20 protection, making it ideal for various lighting applications.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40
Length	2000 mm

Parameter	Value
Width	31,5 mm
Height	35,5 mm
Weight	1,8 kg
Equivalent	XTS 4200
Colour	Black
Material (housing)	Aluminium

LED line PRIME

Code: 210585


EAN: 5905378210585

3 phase rail LUMICANTO 2m black PRIME




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	2000 mm
Height	35,5 mm
Length	31,5 mm
Weight	1,9 kg

Bulk packaging

Quantity	10
Width	180 mm
Height	80 mm
Length	2030 mm
Volume	
Weight	19 kg

Europallet

Height	
Quantity in layer	
Number of layers	
Bulk quantity	
Weight	

LED line PRIME

Code: 210585

EAN: 5905378210585

**3 phase rail LUMICANTO 2m black
PRIME**

Example application