MORE EFFICIENCY FOR THE LED WORLD

LE**D** line

EAN: 5905378209589

LED line LITE

LED line® G9 6W 3000K 550lm 220-240V





Code: 209589

A 6W LED bulb emits a warm, white light at 3000K colour temperature. It generates a light stream of 550 lumens, which provides excellent light performance at 92 lm/W. Designed for 220-240V power supply, it guarantees long-term use with a life span of 30,000 hours. The high quality of the ceramics and Ra color reproduction factor at level 80 emphasize its versatility and aesthetics in each interior.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 6W
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	92
Luminous flux	550
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9



Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	16 mm
Beam angle	270
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	ls
For indoor use	Inside
Height	66
Colour	white
Material (housing)	Ceramics

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE


Code: 209589

EAN: 5905378209589

LED line® G9 6W 3000K 550lm 220-240V

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,02 kg



Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	10,06 kg



Europallet

Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	643,84 kg

Generated 27-07-2025 time 13:07 from the PIM B2B system - LED Line

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE

Code: 209589

EAN: 5905378209589

LED line® G9 6W 3000K 550lm 220-240V

Example application