

LED line

Code: 240553

EAN: 5901583240553

**Hermetic luminaire EASY LINK 4000K  
20W 2800lm IP65 60cm gray LITE**



The TRI-PROOF 20W LED line housing is an advanced lighting solution with a luminous flux of 2800 lumens and a colour temperature of 4000K. The use of SMD2835 LEDs ensures high light performance of 140 lm/W and IP65 leak class guarantees resistance to dust and water. The lamp has a long life of as much as 35,000 hours and an E energy efficiency class, making it the perfect choice for a variety of operating conditions.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 20 W
Voltage	• 175-265 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	II
Luminous efficacy	140
Luminous flux	2800
The lumen maintenance factor	96
Lifetime L70B50	35 000 h
Survival factor	0.9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Output current	0,092
Frequency of the supply voltage	50/60Hz
Beam angle	160
LED type	SMD2835
LED quantity	144
Lifespan	35 000 h
Power Factor	0,95
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25 ÷ 45
Length	660
Width	74
Height	64
Colour	white
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate

LED line


Code: 240553

EAN: 5901583240553

**Hermetic luminaire EASY LINK 4000K  
20W 2800lm IP65 60cm gray LITE**




**Technical drawing**

**Light distribution**



**Additional product photos**

**Logistics data**



**Single packaging**

Quantity	1
Width	80 mm
Height	70 mm
Length	720 mm
Weight	0,898333333 kg

**Bulk packaging**

Quantity	6
Width	270 mm
Height	170 mm
Length	740 mm
Volume	0,034 m3
Weight	5,39 kg
Comments	

**Europallet**

Quantity	216
Height	1674 mm
Quantity in layer	4
Number of layers	9
Bulk quantity	36
Weight	194,04 kg

---

LED line

Code: 240553

EAN: 5901583240553

**Hermetic luminaire EASY LINK 4000K  
20W 2800lm IP65 60cm gray LITE**

---

**Example application**