

LED line LITE

Code: 202290

EAN: 5905378202290

LED Bulb E27 4000K 10W 1200lm 230V
360° FILAMENT A60 Glass LITE



LED bulb E27 10W 4000K 1200lm FILAMENT A60 LED line LITE is an innovative lighting solution that combines elegant design with high functionality. It emits white light at a neutral temperature of 4000 K, perfectly mapping natural colors thanks to the coefficient of Ra ≥80. The light stream of 1200 lm and 360° light angle provide optimal space lighting.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 10 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	1200 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	-
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	A60
Fixture's diameter	60 mm
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	108
Weight	35
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202290

EAN: 5905378202290

LED Bulb E27 4000K 10W 1200lm 230V
360° FILAMENT A60 Glass LITE

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	61 mm
Height	110 mm
Length	61 mm
Weight	0,03 kg



Bulk packaging

Quantity	50
Width	325 mm
Height	240 mm
Length	325 mm
Volume	0,025 m3
Weight	2,85 kg



Europallet

Height	1920 mm
Quantity in layer	300
Number of layers	8
Bulk quantity	2400
Weight	136,8 kg

LED line LITE

Code: 202290

EAN: 5905378202290

**LED Bulb E27 4000K 10W 1200lm 230V
360° FILAMENT A60 Glass LITE**

Example application

