


LED line PRIME

Code: 241345

EAN: 5901583241345

LED line downlight glass square black
90x26x10mm frosted GLIKKA



Glass square black LED line PRIME 90x25x10 mm is distinguished by its modern design and elegant frozen finish. High quality glass gives it an aesthetic appearance, and compact dimensions allow easy installation in suspended ceilings. The fittings comply with PN-EN IEC 60598-1:2021-07 and PN-EN 60598-2-2:2012, which guarantees safety and reliability of use. IP20 protection class makes it ideal for dry interiors.



Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m
Installation method	recessed

Parameter	Value
Mounting hole diameter	75
Length	90
Width	90
Height	25
Thickness	10 mm
Colour	black
Material (housing)	Glass

LED line PRIME

Code: 241345

EAN: 5901583241345

LED line downlight glass square black
90x26x10mm frosted GLIKKA

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Weight	0,2 kg
--------	--------



Bulk packaging

Quantity	100
Weight	20 kg
Comments	



Europallet

LED line PRIME

Code: 241345

EAN: 5901583241345

**LED line downlight glass square black
90x26x10mm frosted GLIKKA**

Example application