

LED line

Code: 240577

EAN: 5901583240577

**Hermetic luminaire EASY LINK 4000K
60W 8400lm IP65 150cm gray LITE**



The TRI-PROOF 60W 4000K 140lm/in Easy Link LED line is characterized by high light efficiency of 140 lm/W and an 8400 lm light stream. It emits neutral white light with a colour temperature of 4000 K, which provides optimal visibility under different conditions. High IP65 leak class and IK08 resistance guarantee durability under difficult conditions.



Technical data

| Parameter | Value |
|---------------------------------------|----------------|
| Energy efficiency class 2019/2015 | E |
| Warranty | 3 |
| Power | • 60 W |
| Voltage | • 175-265 V AC |
| Correlated colour temperature | • 4000 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IP protection rating | IP65 |
| IK protection rating | 08 |
| IEC protection class | II |
| Luminous efficacy | 140 |
| Luminous flux | 8400 |
| The lumen maintenance factor | 96 |
| Lifetime L70B50 | 35 000 h |
| Survival factor | 0.9 |
| Dimmable function | PWM |
| Colour consistency in McAdam ellipses | ≤6 |
| Mounting type | mixed |

| Parameter | Value |
|--|---------------|
| Frequency of the supply voltage | 50/60Hz |
| CRI colour rendering index | 80 |
| Beam angle | 160 |
| LED type | SMD2835 |
| LED quantity | 486 |
| Lifespan | 35 000 h |
| Power Factor | 0,95 |
| Number of on/off cycles | 50000 |
| Lamp's warm-up time to 60% | 1 |
| Ambient temperature suitable for operation | -25 ÷ 45 |
| Length | 1431 |
| Width | 70 |
| Height | 60 |
| Weight | 1386 |
| Colour | white |
| Material (housing) | Polycarbonate |
| Material (cover) | Polycarbonate |

LED line


Code: 240577

EAN: 5901583240577

**Hermetic luminaire EASY LINK 4000K
60W 8400lm IP65 150cm gray LITE**




Technical drawing

Light distribution



Additional product photos

Logistics data



Single packaging

| | |
|----------|---------|
| Quantity | 1 |
| Width | 80 mm |
| Height | 70 mm |
| Length | 1560 mm |
| Weight | 1,82 kg |

Bulk packaging

| | |
|----------|----------|
| Quantity | 6 |
| Width | 265 mm |
| Height | 165 mm |
| Length | 120 mm |
| Volume | 218,4 m3 |
| Weight | 20 kg |
| Comments | |

Europallet

| | |
|-------------------|---------|
| Quantity | 1 |
| Height | 1840 mm |
| Quantity in layer | 20 |
| Number of layers | |
| Bulk quantity | |
| Weight | 96 kg |

LED line

Code: 240577

EAN: 5901583240577

**Hermetic luminaire EASY LINK 4000K
60W 8400lm IP65 150cm gray LITE**

Example application